

August 05, 2026



Cut 8X

Growth Method	CVD
1. Hydrothermal	1. Hydrothermal
2. Sol-gel	2. Sol-gel
3. Chemical vapor deposition	3. Chemical vapor deposition
4. Physical vapor deposition	4. Physical vapor deposition
5. Atomic layer deposition	5. Atomic layer deposition
6. Electrochemical	6. Electrochemical
7. Langmuir-Blodgett	7. Langmuir-Blodgett
8. Spin coating	8. Spin coating
9. Dip coating	9. Dip coating
10. Layer-by-layer assembly	10. Layer-by-layer assembly
11. Self-assembly	11. Self-assembly
12. Molecular beam epitaxy	12. Molecular beam epitaxy
13. Pulsed laser deposition	13. Pulsed laser deposition
14. Sputtering	14. Sputtering
15. Evaporation	15. Evaporation
16. Thermal evaporation	16. Thermal evaporation
17. Electron beam evaporation	17. Electron beam evaporation
18. Thermal CVD	18. Thermal CVD
19. Plasma CVD	19. Plasma CVD
20. Atomic layer CVD	20. Atomic layer CVD
21. Laser CVD	21. Laser CVD
22. Microwave CVD	22. Microwave CVD
23. Hot filament CVD	23. Hot filament CVD
24. Cold filament CVD	24. Cold filament CVD
25. Remote plasma CVD	25. Remote plasma CVD
26. Direct plasma CVD	26. Direct plasma CVD
27. Inductively coupled plasma CVD	27. Inductively coupled plasma CVD
28. Radio frequency CVD	28. Radio frequency CVD
29. Microwave plasma CVD	29. Microwave plasma CVD
30. Hot filament plasma CVD	30. Hot filament plasma CVD
31. Cold filament plasma CVD	31. Cold filament plasma CVD
32. Remote plasma CVD	32. Remote plasma CVD
33. Direct plasma CVD	33. Direct plasma CVD
34. Inductively coupled plasma CVD	34. Inductively coupled plasma CVD
35. Radio frequency CVD	35. Radio frequency CVD
36. Microwave plasma CVD	36. Microwave plasma CVD
37. Hot filament plasma CVD	37. Hot filament plasma CVD
38. Cold filament plasma CVD	38. Cold filament plasma CVD
39. Remote plasma CVD	39. Remote plasma CVD
40. Direct plasma CVD	40. Direct plasma CVD
41. Inductively coupled plasma CVD	41. Inductively coupled plasma CVD
42. Radio frequency CVD	42. Radio frequency CVD
43. Microwave plasma CVD	43. Microwave plasma CVD
44. Hot filament plasma CVD	44. Hot filament plasma CVD
45. Cold filament plasma CVD	45. Cold filament plasma CVD
46. Remote plasma CVD	46. Remote plasma CVD
47. Direct plasma CVD	47. Direct plasma CVD
48. Inductively coupled plasma CVD	48. Inductively coupled plasma CVD
49. Radio frequency CVD	49. Radio frequency CVD
50. Microwave plasma CVD	50. Microwave plasma CVD
51. Hot filament plasma CVD	51. Hot filament plasma CVD
52. Cold filament plasma CVD	52. Cold filament plasma CVD
53. Remote plasma CVD	53. Remote plasma CVD
54. Direct plasma CVD	54. Direct plasma CVD
55. Inductively coupled plasma CVD	55. Inductively coupled plasma CVD
56. Radio frequency CVD	56. Radio frequency CVD
57. Microwave plasma CVD	57. Microwave plasma CVD
58. Hot filament plasma CVD	58. Hot filament plasma CVD
59. Cold filament plasma CVD	59. Cold filament plasma CVD
60. Remote plasma CVD	60. Remote plasma CVD
61. Direct plasma CVD	61. Direct plasma CVD
62. Inductively coupled plasma CVD	62. Inductively coupled plasma CVD
63. Radio frequency CVD	63. Radio frequency CVD
64. Microwave plasma CVD	64. Microwave plasma CVD
65. Hot filament plasma CVD	65. Hot filament plasma CVD
66. Cold filament plasma CVD	66. Cold filament plasma CVD
67. Remote plasma CVD	67. Remote plasma CVD
68. Direct plasma CVD	68. Direct plasma CVD
69. Inductively coupled plasma CVD	69. Inductively coupled plasma CVD
70. Radio frequency CVD	70. Radio frequency CVD
71. Microwave plasma CVD	71. Microwave plasma CVD
72. Hot filament plasma CVD	72. Hot filament plasma CVD
73. Cold filament plasma CVD	73. Cold filament plasma CVD
74. Remote plasma CVD	74. Remote plasma CVD
75. Direct plasma CVD	75. Direct plasma CVD
76. Inductively coupled plasma CVD	76. Inductively coupled plasma CVD
77. Radio frequency CVD	77. Radio frequency CVD
78. Microwave plasma CVD	78. Microwave plasma CVD
79. Hot filament plasma CVD	79. Hot filament plasma CVD
80. Cold filament plasma CVD	80. Cold filament plasma CVD
81. Remote plasma CVD	81. Remote plasma CVD
82. Direct plasma CVD	82. Direct plasma CVD
83. Inductively coupled plasma CVD	83. Inductively coupled plasma CVD
84. Radio frequency CVD	84. Radio frequency CVD
85. Microwave plasma CVD	85. Microwave plasma CVD
86. Hot filament plasma CVD	86. Hot filament plasma CVD
87. Cold filament plasma CVD	87. Cold filament plasma CVD
88. Remote plasma CVD	88. Remote plasma CVD
89. Direct plasma CVD	89. Direct plasma CVD
90. Inductively coupled plasma CVD	90. Inductively coupled plasma CVD
91. Radio frequency CVD	91. Radio frequency CVD
92. Microwave plasma CVD	92. Microwave plasma CVD
93. Hot filament plasma CVD	93. Hot filament plasma CVD
94. Cold filament plasma CVD	94. Cold filament plasma CVD
95. Remote plasma CVD	95. Remote plasma CVD
96. Direct plasma CVD	96. Direct plasma CVD
97. Inductively coupled plasma CVD	97. Inductively coupled plasma CVD
98. Radio frequency CVD	98. Radio frequency CVD
99. Microwave plasma CVD	99. Microwave plasma CVD
100. Hot filament plasma CVD	100. Hot filament plasma CVD
101. Cold filament plasma CVD	101. Cold filament plasma CVD
102. Remote plasma CVD	102. Remote plasma CVD
103. Direct plasma CVD	103. Direct plasma CVD
104. Inductively coupled plasma CVD	104. Inductively coupled plasma CVD
105. Radio frequency CVD	105. Radio frequency CVD
106. Microwave plasma CVD	106. Microwave plasma CVD
107. Hot filament plasma CVD	107. Hot filament plasma CVD
108. Cold filament plasma CVD	108. Cold filament plasma CVD
109. Remote plasma CVD	109. Remote plasma CVD
110. Direct plasma CVD	110. Direct plasma CVD
111. Inductively coupled plasma CVD	111. Inductively coupled plasma CVD
112. Radio frequency CVD	112. Radio frequency CVD
113. Microwave plasma CVD	113. Microwave plasma CVD
114. Hot filament plasma CVD	114. Hot filament plasma CVD
115. Cold filament plasma CVD	115. Cold filament plasma CVD
116. Remote plasma CVD	116. Remote plasma CVD
117. Direct plasma CVD	117. Direct plasma CVD
118. Inductively coupled plasma CVD	118. Inductively coupled plasma CVD
119. Radio frequency CVD	119. Radio frequency CVD
120. Microwave plasma	



The logo is a circular seal. At the top, it says "GCAI" in a large, serif font, with "BY SARKIS" in a smaller font below it. In the center is a detailed line drawing of a diamond with its facets clearly marked. Below the diamond, the text "CONSUMER 4CS GRADING GUARANTEE" is written in a circular path around the bottom half of the seal.

© GCAL USA LLC. All rights reserved.

GCAL LG 362116177



Table, Lower Girdle



Ultimate Diamond Cut Grade



P Poor **F** Fair **G** Good **VG** Very Good **EX** Excellent

Diagram illustrating the proportions of a diamond. The diagram shows a diamond with the following dimensions and angles:

- Top width: 8.00mm
- Top width percentage: 4.73mm 59%
- Top width angle: 33.0°
- Left height: 0.30mm 3.8%
- Left height: 4.82mm 60.2%
- Left height angle: 40.4°
- Right height: 1.07mm 13.5%
- Right height: 3.45mm 43.0%
- Bottom width: 0.03mm 0.3%

DIAMOND SHAPES



CARAT WEIGHT SIZES

Carat Weight	2.50	2.00	1.50	1.00	0.75	0.50
Approx. Size						
Diameter	8.60mm	8.00mm	7.30mm	6.40mm	5.80mm	5.10mm

DIAMOND CLARITY GRADING SCALE

FL	IF	VVS1	VVS2	VS1	VS2	S11	S12	I1	I2	I3
FLAWLESS - INTERNALLY FL.	VERY VERY SLIGHTLY INCLUDED	VERY SLIGHTLY INCLUDED	SLIGHTLY INCLUDED	INCLUDED/PIQUE						

DIAMOND COLOR GRADING SCALE



D - Z DIAMOND COLOR GRADING SCALE

DIAMOND FLUORESCENCE GRADING SCALE



DIAMOND POLISH & SYMMETRY GRADING SCALE

EXCELLENT	VERY GOOD	GOOD	FAIR	POOR
-----------	-----------	------	------	------

BRILLIANT CUT DIAGRAM



BUY WITH
CONFIDENCE

GCAL BY SARINE™
4Cs GRADING GUARANTEE

The GCAL by Sarine™ philosophy is simple: we believe consumers should feel confident about their lab grown diamond purchase, in the same way we believe experts should be accountable and stand behind their work.

This is why your lab grown diamond is protected by a zero tolerance, money-backed grading guarantee. You should know that the GCAL by Sarine™ 4Cs Grading Certificate is the only 4Cs grading certificate in the world that comes with a guarantee that ensures the accuracy of the certified lab grown diamonds' weight and quality grades. If the carat weight or any of the cut, color, or clarity grades provided in this GCAL by Sarine™ 4Cs Grading Certificate is lower than the weight or quality grade of your certified lab grown diamond, GCAL by Sarine™ will reimburse you the difference between what you paid for the lab grown diamond and the current fair value of an equivalent lab grown diamond in the market in which it was purchased, pursuant to the newly established grades. Kindly see additional details, including the limitations of the guarantee, at GCALUSA.com.

MISSION STATEMENT

To provide the most accurate and consistent gemological grading, with uncompromising integrity and unparalleled customer service.

GEMPRINT®

Having a traceable, unique “fingerprint” of your lab grown diamond adds future protection to your investment, as well as peace of mind. GCAL by Sarine™ records the distinctive Gemprint of every diamond we certify. This patented technology for positive identification is recognized worldwide as forensic evidence and identification. Register your lab grown diamond at GEMPRINT.com

CERTIFICATE VERIFICATION

You can verify the authenticity of this certificate by entering your GCAL by Sarine™ Certificate Number at GCALUSA.com. You can also download a complimentary digital copy of this document to send to your insurance company.



GUARANTEED
CERTIFICATE



LAB GROWN



8X® is the highest achievement in precision diamond cutting. The GCAL 8X Ultimate Diamond Cut Grading System encompasses all aspects of diamond CUT quality assessment. Your lab Grown diamond has achieved grades of Excellent in all eight aspects of CUT quality assessment. As a result, this lab grown diamond is recognized for its extraordinary brilliance and beauty.

PHYSICAL EXCELLENCE

The first three of the 8X grading factors analyze the exactness of the physical surface, the facet shapes, as well as the angles. This includes the Polish, External Symmetry and Proportions.

Decades of meticulous mathematical calculations have determined the narrow proportion ranges required to produce superior cut diamonds. Each shape has been studied individually to find the most aesthetically pleasing parameters. Some of the factors considered are listed below.

To view the proportions specifications for each shape, please visit our website GCALUSA.COM

Table %	Lower Girdle Facet Length
Depth %	Star Length
Crown Angle/Height	Girdle Thickness
Pavilion Angle/Height	Culet Size

LIGHT PERFORMANCE EXCELLENCE

The next three of the 8X grading factors are Brilliance, Fire and Scintillation, which analyze the light handling ability of your lab grown diamond. The combination of these factors is the essence of what makes any diamond visibly shine, dance and sparkle from across a room. Fire and Scintillation are graded while the diamond is in motion and interacting with light. View the Fire and Scintillation videos of this lab grown diamond at GCALUSA.com or by scanning the QR code on this certificate.

OPTICAL EXCELLENCE

The last two 8X grading factors consider optical excellence. These factors scrutinize the craftsmanship, the precise alignment of the crown and pavilion facets, the shape outline, and the length to width ratio, ensuring the lab grown diamond achieves aesthetic perfection.

Grading scales for each of the 8X grading factors can be viewed at GCALUSA.com

Independently Graded and Guaranteed by GCAL by Sarine™